Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("5712912").PN.	USPAT; USOCR	OR	OFF	2004/01/20 11:04
S2	0	9605673a1	USPAT	OR	OFF	2004/01/20 13:41
S3	2	9605673a1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 13:42
S4	1	("5740276").PN.	USPAT; USOCR	OR	OFF	2004/01/20 13:43
S5	1	("5557686").PN.	USPAT; USOCR	OR	OFF	2004/01/20 13:45
S6	0	380/44.ccls. and (crypto\$6 adj key) and (crypto\$6 adj share)	USPAT	OR	OFF	2004/01/20 13:46
S7	0	"380".clas. and (crypto\$6 adj key) and (crypto\$6 adj share)	USPAT	OR	OFF	2004/01/20 14:12
S8	121	"380".clas. and (crypto\$6 adj key)	USPAT	OR	OFF	2005/01/07 14:34
S9	5	380/44.ccls. and (crypto\$6 adj key) and (share)	USPAT	OR	OFF	2005/01/07 14:36
S10	2	"380".clas. and (crypto\$6 adj key) and (compress) and (decompress)	USPAT	OR	OFF	2004/01/20 14:15
S11	0	(crypto\$6 adj key) and (compress\$4) and (decompress\$4) and (cryptographic adj share)	USPAT	OR	OFF	2004/01/20 14:15
S12	17	(crypto\$6 adj key) and (compress\$4) and (decompress\$4)	USPAT	OR	OFF	2005/01/07 14:35
S13	13	(crypto\$6 adj key) and (compress\$4) and (decompress\$4) and (memory same index)	USPAT	OR	OFF	2004/01/20 14:16
S14	12	(crypto\$6 adj key) and (compress\$4) and (decompress\$4) and (memory same index) and (share) and (encrypt\$4) and (decrypt\$4)	USPAT	OR	OFF	2004/01/20 15:16
S15	0	crypto\$4 adj share	USPAT	OR	OFF	2004/01/20 15:16
S16	13	crypto\$4 with share	USPAT	OR	OFF	2004/01/20 15:40
S17	18	"380".clas. and (generate\$4 adj cryptographic adj key)	USPAT	OR	OFF	2004/01/21 16:01
S18	1	("5790668").PN.	USPAT; USOCR	OR .	OFF	2004/01/20 15:50
S19	3	"380".clas. and (generate\$4 adj cryptographic adj key) and (password\$4) and (biometric\$4)	USPAT	OR	OFF	2004/01/20 16:28

cryptographic adj key) and (password\$4) and (biometric\$4) and (keystroke)	4/01/20 16:14 4/01/20 16:15
	1/01/20 16:15
(biometric\$4) and (keystroke)	7/01/20 10.15
S22 0 "380".clas. and (generate\$4 adj USPAT OR OFF 2004 cryptographic adj key) and (vector adj space)	ł/01/20 16:28
S23 6 "380".clas. and (cryptographic adj key) USPAT OR OFF 2004 and (vector adj space)	1/01/20 16:31
S24 1 "380".clas. and (cryptographic adj key) USPAT OR OFF 2004 and (vector adj space) and (polynomial)	l/01/20 16:32
S25 5 "380".clas. and (crypto\$4) and (vector USPAT OR OFF 2004 adj space) and (polynomial)	ł/01/20 16:34
S26 3 "380".clas. and (crypto\$4 adj share\$4) USPAT OR OFF 2004 and (vector adj space) and (polynomial)	l/01/21 15:34
S27 1 ("5557346").PN. USPAT; OR OFF 2004	1/01/21 15:34
S28 0 "380".clas. and (generate\$4 adj USPAT OR OFF 2004 cryptographic adj key) and (access adj attempt)	l/01/21 15:59
S29 0 (generate\$4 adj crypto\$6 adj key) and USPAT OR OFF 2004 (access adj attempt)	l/01/21 16:00
S30 0 (generate\$4 adj crypto\$6 adj key) and USPAT OR OFF 2004 (access with attempt)	l/01/21 16:00
S31 3 generate\$4 adj crypto\$6 adj key USPAT OR OFF 2004	l/01/21 16:00
S32 6 "380".clas. and (generate\$4 adj USPAT OR OFF 2004 cryptographic adj key) and (access) and (attempt)	3/01/21 16:30
S33 4 (access adj attempt) and (crypto\$7 USPAT OR OFF 2004 adj key)	//01/21 16:35
S34 1 ("5802175").PN. USPAT; OR OFF 2004	/01/21 16:35
S35 2 380/44.ccls. and (access adj attempt) USPAT OR OFF 2005	5/01/07 18:41
S36 1 ("5369707").PN. USPAT; OR OFF 2004	3 /01/22 10:04
S37 1 ("5802175").PN. USPAT; USOCR OFF 2005	5/01/07 17:25
S38 1 ("6035042").PN. USPAT; USOCR OFF 2004	/01/22 10:17
S39 0 polynomial adj secret adj share\$4 USPAT OR OFF 2004	/01/22 10:18
S40 5 polynomial adj secret USPAT OR OFF 2004	/01/22 10:33

				· ₁ ····	·1-	
S41	0	(polynomial adj secret) and (vector adj space)	USPAT	OR	OFF	2004/01/22 10:45
S42	0	invalid adj crypto\$4 adj share\$4	USPAT	OR	OFF	2004/01/22 10:45
S43	1	invalid adj crypto\$4	USPAT	OR	OFF	2004/01/22 10:48
S44	2	(generate\$4 adj key) with invalid	USPAT	OR	OFF	2004/01/22 11:13
S45	1	("5557686").PN.	USPAT; USOCR	OR	OFF	2004/01/22 12:01
S46	1	("6317834").PN.	USPAT; USOCR	OR	OFF	2005/01/07 17:10
S47	1	("5712912").PN.	USPAT; USOCR	OR	OFF	2004/01/22 16:58
S48	1	("5557346").PN.	USPAT; USOCR	OR	OFF	2004/01/22 16:58
S49	1	("5991408").PN.	USPAT; USOCR	OR	OFF	2004/01/22 16:58
S50	1	("6023506").PN.	USPAT; USOCR	OR	OFF	2004/01/23 11:25
S51	1	("5301247").PN.	USPAT; USOCR	OR	OFF	2004/01/23 11:25
S52	0	("59604111").PN.	USPAT; USOCR	OR	OFF	2004/01/23 11:25
S53	1	("5960411").PN.	USPAT; USOCR	OR	OFF	2004/01/23 11:26
S54	6	713/192.ccls. and (encrypt\$4 same decrypt\$4 same program) and (portable)	USPAT	OR	OFF	2004/01/23 11:31
S55	0	713/192.ccls. and (encrypt\$4 same decrypt\$4 same program same portable)	USPAT	OR	OFF	2004/01/23 11:31
S56	0	713/192.ccls. and (portable adj data adj encryption)	USPAT	OR	OFF	2004/01/23 11:31
S57	1	portable adj data adj encryption	USPAT	OR	OFF	2004/01/23 11:34
S58	0	(portable adj data adj encryption)and (password) and (encryption adj program) and (file\$4)	USPAT	OR	OFF	2004/01/23 11:34
S59	0	(portable adj data adj encryption)and (password) and (encryption adj program)	USPAT	OR	OFF	2004/01/23 11:35
S60	1	(portable adj data adj encryption)and (password)	USPAT	OR	OFF	2004/01/23 11:36
S61	0	713/189.ccls. and (portable with data with encryption)and (password)	USPAT	OR	OFF	2004/01/23 11:36
S62	17	"713".clas. and (portable with data with encryption)and (password)	USPAT	OR	OFF	2004/01/23 11:39
S63	1	"713".clas. and (portable with data with encryption with password)	USPAT	OR	OFF	2004/01/23 11:39

17 17 17 18 18 18 18 18	S72	120	"200" also and (crimtate adi kay)	LICDATA	OR	OFF	2005/01/07 14:24
and (decompress\$4)	5/2	129	"380".clas. and (crypto\$6 adj key)	USPAT; EPO	OR	OFF	2005/01/07 14:34
S83	S73	17			OR	OFF	2005/01/07 14:35
S84 2 "9605673"	S75	2	96/05673		OR	OFF	2005/01/07 14:53
S88	S83	1	"9847260"	,	OR	OFF	2005/01/07 14:53
USOCR	S84	2	"9605673"	,	OR	OFF	2005/01/07 15:01
S90 2 9605673a1	S88	1	("5712912").PN.	•	OR	OFF	2005/01/07 18:11
S91	S89	0	9605673a1	USPAT	OR	OFF	2005/01/07 18:11
S92	S90	2	9605673a1	USPAT; EPO; JPO; DERWENT;	OR	OFF	2005/01/07 18:11
S93	S91	1	("5740276").PN.	,	OR	OFF	2005/01/07 18:11
S94 0 "380".clas. and (crypto\$6 adj key) and (crypto\$6 adj share)	S92	1	("5557686").PN.	,	OR	OFF	2005/01/07 18:11
Crypto\$6 adj share S95 128 "380".clas. and (crypto\$6 adj key) USPAT OR OFF 2005/01/07 18:17 S96 5 380/44.ccls. and (crypto\$6 adj key) USPAT OR OFF 2005/01/07 18:11 S97 2 "380".clas. and (crypto\$6 adj key) and (compress) and (decompress) and (decompress) USPAT OR OFF 2005/01/07 18:11 S98 0 (crypto\$6 adj key) and (compress\$4) USPAT OR OFF 2005/01/07 18:11 S99 17 (crypto\$6 adj key) and (compress\$4) USPAT OR OFF 2005/01/07 18:11 S10 13 (crypto\$6 adj key) and (compress\$4) USPAT OR OFF 2005/01/07 18:11 O 0 12 (crypto\$6 adj key) and (compress\$4) USPAT OR OFF 2005/01/07 18:11 S10 12 (crypto\$6 adj key) and (compress\$4) USPAT OR OFF 2005/01/07 18:11 S10 12 (crypto\$6 adj key) and (compress\$4) USPAT OR OFF 2005/01/07 18:11 S10 0 crypto\$4 adj share USPAT OR OFF 2005/01/07 18:11 S10 14 crypto\$4 with share USPAT OR OFF 2005/01/07 18:11	S93	0		USPAT	OR	OFF	2005/01/07 18:11
S96 5 380/44.ccls. and (crypto\$6 adj key) and (share) USPAT OR OFF 2005/01/07 18:11 S97 2 "380".clas. and (crypto\$6 adj key) and (compress) USPAT OR OFF 2005/01/07 18:11 S98 0 (crypto\$6 adj key) and (compress\$4) and (cryptographic adj share) USPAT OR OFF 2005/01/07 18:11 S99 17 (crypto\$6 adj key) and (compress\$4) and (decompress\$4) and (decompress\$4) and (decompress\$4) and (decompress\$4) and (decompress\$4) and (memory same index) USPAT OR OFF 2005/01/07 18:11 S10 12 (crypto\$6 adj key) and (compress\$4) and (memory same index) and (share) and (encrypt\$4) and (decompress\$4) and (memory same index) and (share) and (encrypt\$4) and (decrypt\$4) USPAT OR OFF 2005/01/07 18:11 S10 0 crypto\$4 adj share USPAT OR OFF 2005/01/07 18:11 S10 14 crypto\$4 with share USPAT OR OFF 2005/01/07 18:11	S94	0		USPAT	OR	OFF	2005/01/07 18:11
and (share) 2 "380".clas. and (crypto\$6 adj key) and (compress) S98	S95	128	"380".clas. and (crypto\$6 adj key)	USPAT	OR	OFF	2005/01/07 18:17
S98 O (crypto\$6 adj key) and (compress\$4) USPAT OR OFF 2005/01/07 18:11	S96	5		USPAT	OR	OFF	2005/01/07 18:11
and (decompress\$4) and (cryptographic adj share) S99 17 (crypto\$6 adj key) and (compress\$4) and (decompress\$4) S10	S97	2		USPAT	OR	OFF	2005/01/07 18:11
S10	S98	0	and (decompress\$4) and	USPAT	OR	OFF	2005/01/07 18:11
0 and (decompress\$4) and (memory same index) S10 12 (crypto\$6 adj key) and (compress\$4) and (memory same index) and (share) and (encrypt\$4) and (decrypt\$4) USPAT OR OFF 2005/01/07 18:11 S10 0 crypto\$4 adj share USPAT OR OFF 2005/01/07 18:11 S10 14 crypto\$4 with share USPAT OR OFF 2005/01/07 18:11	S99	17		USPAT	OR	OFF	2005/01/07 18:11
1 and (decompress\$4) and (memory same index) and (share) and (encrypt\$4) and (decrypt\$4) USPAT OR OFF 2005/01/07 18:11 S10 14 crypto\$4 with share USPAT OR OFF 2005/01/07 18:11	1 :	13	and (decompress\$4) and (memory	USPAT	OR	OFF	2005/01/07 18:11
2 S10 14 crypto\$4 with share USPAT OR OFF 2005/01/07 18:11	1	12	and (decompress\$4) and (memory same index) and (share) and	USPAT	OR	OFF	2005/01/07 18:11
1 1 2000/01/07 10/11	1	0	crypto\$4 adj share	USPAT	OR	OFF	2005/01/07 18:11
	1	14	crypto\$4 with share	USPAT	OR	OFF	2005/01/07 18:11

	т			T-	, - -	,
S10 4	20	"380".clas. and (generate\$4 adj cryptographic adj key)	USPAT	OR	OFF	2005/01/07 18:11
S10 5	1	("5790668").PN.	USPAT; USOCR	OR	OFF	2005/01/07 18:11
S10 6	3	"380".clas. and (generate\$4 adj cryptographic adj key) and (password\$4) and (biometric\$4)	USPAT	OR	OFF	2005/01/07 18:11
S10 7	0	"380".clas. and (generate\$4 adj cryptographic adj key) and (password\$4) and (biometric\$4) and (keystroke)	USPAT	OR	OFF	2005/01/07 18:11
S10 8	0	(generate\$4 adj cryptographic adj key) and (password\$4) and (biometric\$4) and (keystroke)	USPAT	OR	OFF	2005/01/07 18:11
S10 9	0	"380".clas. and (generate\$4 adj cryptographic adj key) and (vector adj space)	USPAT	OR	OFF	2005/01/07 18:11
S11 0	6	"380".clas. and (cryptographic adj key) and (vector adj space)	USPAT	OR	OFF	2005/01/07 18:11
S11 1	1	"380".clas. and (cryptographic adj key) and (vector adj space) and (polynomial)	USPAT	OR	OFF	2005/01/07 18:11
S11 2	5	"380".clas. and (crypto\$4) and (vector adj space) and (polynomial)	USPAT	OR	OFF	2005/01/07 18:11
S11 3	3	"380".clas. and (crypto\$4 adj share\$4) and (vector adj space) and (polynomial)	USPAT	OR	OFF	2005/01/07 18:11
S11 4	⁹ 1	("5557346").PN.	USPAT; USOCR	OR	OFF	2005/01/07 18:11
S11 5	0	"380".clas. and (generate\$4 adj cryptographic adj key) and (access adj attempt)	USPAT	OR	OFF	2005/01/07 18:11
S11 6	0	(generate\$4 adj crypto\$6 adj key) and (access adj attempt)	USPAT	OR	OFF	2005/01/07 18:11
S11 7	0	(generate\$4 adj crypto\$6 adj key) and (access with attempt)	USPAT	OR	OFF	2005/01/07 18:11
S11 8	3	generate\$4 adj crypto\$6 adj key	USPAT	OR	OFF	2005/01/07 18:11
S11 9	7	"380".clas. and (generate\$4 adj cryptographic adj key) and (access) and (attempt)	USPAT	OR	OFF	2005/01/07 18:11
S12 0	4	(access adj attempt) and (crypto\$7 adj key)	USPAT	OR	OFF	2005/01/07 18:11
S12 1	1	("5802175").PN.	USPAT; USOCR	OR	OFF	2005/01/07 18:11
S12 2	2	380/44.ccls. and (access adj attempt)	USPAT	OR	OFF	2005/01/07 18:11

S12	1	("5369707").PN.	USPAT;	OR	OFF	2005/01/07 18:11
3	· •	(3337 57 Jii W	USOCR			
S12 4	1	("5802175").PN.	USPAT; USOCR	OR	OFF	2005/01/07 18:11
S12 5	1	("6035042").PN.	USPAT; USOCR	OR	OFF	2005/01/07 18:11
S12 6	0	polynomial adj secret adj share\$4	USPAT	OR	OFF	2005/01/07 18:11
S12 7	5	polynomial adj secret	USPAT	OR	OFF	2005/01/07 18:11
S12 8	0	(polynomial adj secret) and (vector adj space)	USPAT	OR	OFF	2005/01/07 18:11
S12 9	0	invalid adj crypto\$4 adj share\$4	USPAT	OR	OFF	2005/01/07 18:11
S13 0	1	invalid adj crypto\$4	USPAT	OR	OFF	2005/01/07 18:11
S13 1	3	(generate\$4 adj key) with invalid	USPAT	OR	OFF	2005/01/07 18:11
S13 2	1	("5557686").PN.	USPAT; USOCR	OR	OFF	2005/01/07 18:11
S13 3	1	("6317834").PN.	USPAT; USOCR	OR	OFF	2005/01/07 18:11
S13 4	1	("5712912").PN.	USPAT; USOCR	OR	OFF	2005/01/07 18:11
S13 5	1	("5557346").PN.	USPAT; USOCR	OR	OFF	2005/01/07 18:11
S13 6	1	("5991408").PN.	USPAT; USOCR	OR	OFF	2005/01/07 18:11
S13 7	1	("6023506").PN.	USPAT; USOCR	OR	OFF	2005/01/07 18:11
S13 8	1	("5301247").PN.	USPAT; USOCR	OR	OFF	2005/01/07 18:11
S13 9	0	("59604111").PN.	USPAT; USOCR	OR	OFF	2005/01/07 18:11
S14 0	1	("5960411").PN.	USPAT; USOCR	OR	OFF	2005/01/07 18:11
S14 1	8	713/192.ccls. and (encrypt\$4 same decrypt\$4 same program) and (portable)	USPAT	OR	OFF	2005/01/07 18:11
S14 2	0	713/192.ccls. and (encrypt\$4 same decrypt\$4 same program same portable)	USPAT	OR	OFF	2005/01/07 18:11
S14 3	0	713/192.ccls. and (portable adj data adj encryption)	USPAT	OR	OFF	2005/01/07 18:11
S14 4	1	portable adj data adj encryption	USPAT	OR	OFF	2005/01/07 18:11

S14 5	0	(portable adj data adj encryption)and (password) and (encryption adj program) and (file\$4)	USPAT	OR .	OFF	2005/01/07 18:11
S14 6	0	(portable adj data adj encryption)and (password) and (encryption adj program)	USPAT	OR	OFF	2005/01/07 18:11
S14 7	1	(portable adj data adj encryption)and (password)	USPAT	OR	OFF	2005/01/07 18:11
S14 8	0	713/189.ccls. and (portable with data with encryption)and (password)	USPAT	OR	OFF	2005/01/07 18:11
S14 9	18	"713".clas. and (portable with data with encryption)and (password)	USPAT	OR	OFF	2005/01/07 18:11
S15 0	1	"713".clas. and (portable with data with encryption with password)	USPAT	OR	OFF	2005/01/07 18:11
S15 1	129	"380".clas. and (crypto\$6 adj key)	USPAT; EPO	OR	OFF	2005/01/07 18:11
S15 2	17	(crypto\$6 adj key) and (compress\$4) and (decompress\$4)	USPAT; EPO	OR	OFF	2005/01/07 18:11
S15 3	2	96/05673	USPAT; EPO	OR	OFF	2005/01/07 18:11
S15 4	1	"9847260"	USPAT; EPO	OR	OFF	2005/01/07 18:11
S15 5	2	"9605673"	USPAT; EPO	OR	OFF	2005/01/07 18:11
S15 6	2	380/44.ccls. and (access adj attempt)	USPAT	OR	OFF	2005/01/07 18:41